

CB-8007S / CC-9007S

(CB-8007SP / CC-9007SP: With sensor function)



FEATURES

CB-8007S

- Black & White SONY 1/3" Super HAD CCD sensor
- 420 TV Lines of Horizontal Resolution
- Minimum illumination of 0.1 Lux
- AES, AGC

CC-9007S

- Color SONY 1/3" Super HAD CCD sensor
- 380 TV Lines of Horizontal Resolution
- Minimum illumination of 0.2 Lux
- AES, AGC, AWB

Built-in PIR sensor for CB-8007SP and CC-9007SP, and the PIR maximum detection range is 10M.

SPECIFICATION

Model Number	CB-8007S	CC-9007S
Image Pick-up Device	B/W SONY 1/3" CCD sensor	Color SONY 1/3" CCD sensor
Effective Picture Element	EIA: 510(H)x492(V) CCIR: 500(H)x582(V)	NTSC: 768(H)x494(V) PAL: 752(H)x582(V)
Horizontal Resolution	420 TV lines	380 TV lines
Minimum Illumination	0.1 LUX @ F2.0	0.2 LUX @ F3.5
S/N Ratio	More than 48dB	
Auto Electronic Shutter	EIA: 1/60s~1/100,000s, NTSC: 1/60s~1/100,000s	
Gamma Characteristic	0.45	
Lens	3.7mm/F2.0 Pinhole Lens	
Auto Gain Control	Yes	
Auto White Balance	—————	Yes
Synchronous System	Internal, Negative Sync.	
Video Output	1 Vp-p / 75 Ohms, BNC connector	
Audio Output (Optional)	2 Vp-p / 50 Ohms, RCA connector	
Power Supply	12V DC	
Operating Temperature	-10 °C ~ 50 °C (14 °F ~ 122 °F)	

*Specifications subject to change without notice